Eaton 7.2WFMSJ80

Motor fuse-link, medium voltage, 80 A, AC 7.2 kV, DIN 43625 3", 76 x 442 mm, back-up, DIN, with striker HS

□□□□	
PRODUCT NAME	Eaton Bussmann series medium voltage motor fuse
CATALOG NUMBER	7.2WFMSJ80
UPC	051712837651
PRODUCT LENGTH/DEPTH	442 mm
PRODUCT HEIGHT	76 mm
PRODUCT WIDTH	76 mm
PRODUCT WEIGHT	5200 g
COMPLIANCES	VDE 0670-4 DIN 43625
CERTIFICATIONS	IEC60282-1

Powering Business Worldwide

□□□□

USED WITH	A3354730 Nickel-plated copper fuse clip
AMPERAGE RATING	80 A
FUSE INDICATOR	Non Indicating
FUSE SIZE	76 x 442 mm
BREAKING CAPACITY	63 A
INSTALLATION TECHNIQUE	Air
PERFORMANCE CAT ACCORDING TO IEC 60282-1	Back-up
PRODUCT APPLICATION	Motor protection
RATED FREQUENCY - MAX	50 Hz
RATED FREQUENCY - MIN	50 Hz
RELEASE CHARACTERISTIC	Other
STANDARD	DIN
UTILIZATION CATEGORY	Other
VOLTAGE TYPE	AC
WITH STRIKER	Yes
CLASS	Class back-up
BARRELS	1
FUSE SHAPE	Cylindrical
WATT LOSSES	72 W
RESISTANCE	8.12 ohms
FUSE DIAMETER	76 mm
INTERRUPT RATING	63 kAIC
CONSTRUCTION SIZE	76 x 442 mm
PACKAGING TYPE	Standard
VOLTAGE RATING	7.2 kV
TYPE	fuse
APPLICATION	Motor protection
FUSE TYPE	WFMSJ

□□

□□□□:	
□□□□:	
□□□:	
□□:	

□□□□ Eaton House
30 Pembroke Road
Dublin 4, □□□
Eaton.com

© 2026 □□ □□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□