






注記 NOTES


- 材質
ウエハー：耐熱性ナイロン UL94V-0
ピン：銅合金、ニッケル下地、錫メッキ、金メッキ
フィッティングネール：銅合金、ニッケル下地、錫メッキ
MATERIAL
WAFER: POLYAMIDE UL94V-0
PIN: COPPER ALLOY, GOLD OR TIN OVER NICKEL PLATE.
FINNTING NAIL: COPPER ALLOY, TIN OVER NICKEL PLATE.
- 色：ナチュラル、黒、赤、青
COLOR: NATURAL, BLACK, RED, BLUE
- 嵌合相手：
ハウジング:502351-**0*
錫メッキ端子:50212-8*00,50372-8*00,560085-0101
金メッキ端子:56161-8*81
MATES WITH
HOUSING:502351-**0*
SN PLATING TERMINAL: 50212-8*00,50372-8*00,560085-0101
AU PLATING TERMINAL: 56161-8*81

- エンボス梱包品の詳細はSD-560020-002参照
DETAILED TAPING PACKAGE, SEE SD-560020-002
- 半田付け面のコプラナリティ: 0.1mm MAX.
CO-PLANARITY OF SOLDER TAILS TO BE 0.1mm MAX.
- 一般公差
GENERAL TOLERANCES
10 UNDER: ± 0.2
10 OVER 30 UNDER: ± 0.25
30 OVER: ± 0.3
ANGULAR: $\pm 1^\circ$


INITIAL REVISION:		
DRWN	SHSHIBATA	2009/02/18
CHECK	HKOMATSU	2009/02/18
APPR	AKANESHIGE	2009/02/18




フィッティングネール
FITTING NAIL




FUNCTIONAL SYMBOLS FA= 0 FE= 0 FB= 0 DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
	DIMENSION UNITS		SCALE		CURRENT REV DESC:						molex 2.0MM PITCH W/B CONN. WAFER ASSY ST. SMT								
	mm		5:1																
	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 635305 DRWN: MUNEMOTO 2020/04/02 CHK'D: HIJIMA 2020/04/03 APPR: TOSADA 2020/04/06 INITIAL REVISION: DRWN: DRAWN BY 0099/99/99 APPR: APPR BY 0099/99/99						PRODUCT CUSTOMER DRAWING								
	MM		INCH																
	4 PLACES ±		±																
	3 PLACES ±		±																
	2 PLACES ±		±																
	1 PLACE ±		±																
	0 PLACES ±		±		DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION						
ANGULAR TOL ± °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
								A3-SIZE		560020				GENERAL MARKET		1 OF 4			





F	E	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	Sn NATURAL	11.8	29.1	33.7	36.6	560020-1520	15													
									11.8	27.1	31.7	34.6	560020-1420	14													
									11.8	25.1	29.7	32.6	560020-1320	13													
									11.8	23.1	27.7	30.6	560020-1220	12													
									11.8	21.1	25.7	28.6	560020-1120	11													
									11.8	19.1	23.7	26.6	560020-1020	10													
									11.8	17.1	21.7	24.6	560020-0920	9													
									11.8	15.1	19.7	22.6	560020-0820	8													
									11.8	13.1	17.7	20.6	560020-0720	7													
									11.8	12	15.7	18.6	560020-0620	6													
									9.8	10	13.7	16.6	560020-0520	5													
									7.8	8	11.7	14.6	560020-0420	4													
									5.8	6	9.7	12.6	560020-0320	3													
									6.3		8.0	10.9	560020-0220	2													
									PLATING COLOR	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	CONNECTOR SERIES NO. 560020-**08											
F	E	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	Au NATURAL	11.8	29.1	33.7	36.6	560020-1530	15													
									11.8	27.1	31.7	34.6	560020-1430	14													
									11.8	25.1	29.7	32.6	560020-1330	13													
									11.8	23.1	27.7	30.6	560020-1230	12													
									11.8	21.1	25.7	28.6	560020-1130	11													
									11.8	19.1	23.7	26.6	560020-1030	10													
									11.8	17.1	21.7	24.6	560020-0930	9													
									11.8	15.1	19.7	22.6	560020-0830	8													
									11.8	13.1	17.7	20.6	560020-0730	7													
									11.8	12	15.7	18.6	560020-0630	6													
									9.8	10	13.7	16.6	560020-0530	5													
									7.8	8	11.7	14.6	560020-0430	4													
									5.8	6	9.7	12.6	560020-0330	3													
									6.3		8.0	10.9	560020-0230	2													
									PLATING COLOR	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	CONNECTOR SERIES NO. 560020-**18											
D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	Sn BLACK	11.8	29.1	33.7	36.6	560020-1521	15															
							11.8	27.1	31.7	34.6	560020-1421	14															
							11.8	25.1	29.7	32.6	560020-1321	13															
							11.8	23.1	27.7	30.6	560020-1221	12															
							11.8	21.1	25.7	28.6	560020-1121	11															
							11.8	19.1	23.7	26.6	560020-1021	10															
							11.8	17.1	21.7	24.6	560020-0921	9															
							11.8	15.1	19.7	22.6	560020-0821	8															
							11.8	13.1	17.7	20.6	560020-0721	7															
							11.8	12	15.7	18.6	560020-0621	6															
							9.8	10	13.7	16.6	560020-0521	5															
							7.8	8	11.7	14.6	560020-0421	4															
							5.8	6	9.7	12.6	560020-0321	3															
							6.3		8.0	10.9	560020-0221	2															
							PLATING COLOR	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	CONNECTOR SERIES NO. 560020-**28													
D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	Sn RED						15															
												14															
												13															
												12															
												11															
												10															
												9															
							11.8	15.1	19.7	22.6	560020-0822	8															
												7															
							11.8	12	15.7	18.6	560020-0622	6															
												5															
							7.8	8	11.7	14.6	560020-0422	4															
							5.8	6	9.7	12.6	560020-0322	3															
							6.3		8.0	10.9	560020-0222	2															
							PLATING COLOR	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	CONNECTOR SERIES NO. 560020-**48													
D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	Sn BLUE						15															
												14															
												13															
												12															
												11															
												10															
												9															
							11.8	15.1	19.7	22.6	560020-0823	8															
												7															
							11.8	12	15.7	18.6	560020-0623	6															
												5															
							7.8	8	11.7	14.6	560020-0423	4															
							5.8	6	9.7	12.6	560020-0323	3															
							6.3		8.0	10.9	560020-0223	2															
							PLATING COLOR	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	CONNECTOR SERIES NO. 560020-**68													
B	A	FUNCTIONAL SYMBOLS													THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
		DIVISIONAL SYMBOLS													CURRENT REV DESC:												
		INITIAL REVISION:													EC NO: 635305												
		DRWN SHSHIBATA 2009/02/18													DRWN: MUNEMOTO 2020/04/02												
		CHECK HKOMATSU 2009/02/18													CHK'D: HIJIMA 2020/04/03												
		APPR AKANESHIGE 2009/02/18													APPR: TOSADA 2020/04/06												
		DRWN: DRAWN BY 0099/99/99													INITIAL REVISION:												
		APPR: APPR BY 0099/99/99													DRWN: DRAWN BY 0099/99/99												
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS													THIRD ANGLE PROJECTION												
		A3-SIZE													DRAWING												
		560020													SERIES												
		MATERIAL NUMBER													CUSTOMER												
		GENERAL MARKET													SHEET NUMBER												
		4 OF 4													SD-560020-001												



	10	9				8				7				6				5				4				3				2				1																																																																																																																																																																																																																																																																																																															
F	<table><tr><td rowspan="16">Sn NATURAL</td><td rowspan="3">52.4</td><td rowspan="3">61.4</td><td rowspan="3">57.4</td><td rowspan="3">56</td><td rowspan="3">26.2</td><td>36.9</td><td>560020-1520</td><td>15</td><td rowspan="16">Au NATURAL</td><td rowspan="3">52.4</td><td rowspan="3">61.4</td><td rowspan="3">57.4</td><td rowspan="3">56</td><td rowspan="3">26.2</td><td>36.9</td><td>560020-1530</td><td>15</td></tr><tr><td>34.9</td><td>560020-1420</td><td>14</td><td>34.9</td><td>560020-1430</td><td>14</td></tr><tr><td>32.9</td><td>560020-1320</td><td>13</td><td>32.9</td><td>560020-1330</td><td>13</td></tr><tr><td rowspan="7">40.4</td><td rowspan="7">49.4</td><td rowspan="7">45.4</td><td rowspan="7">44</td><td rowspan="7">20.2</td><td>30.9</td><td>560020-1220</td><td>12</td><td>30.9</td><td>560020-1230</td><td>12</td></tr><tr><td>28.9</td><td>560020-1120</td><td>11</td><td>28.9</td><td>560020-1130</td><td>11</td></tr><tr><td>26.9</td><td>560020-1020</td><td>10</td><td>26.9</td><td>560020-1030</td><td>10</td></tr><tr><td>24.9</td><td>560020-0920</td><td>09</td><td>24.9</td><td>560020-0930</td><td>09</td></tr><tr><td>22.9</td><td>560020-0820</td><td>08</td><td>22.9</td><td>560020-0830</td><td>08</td></tr><tr><td>20.9</td><td>560020-0720</td><td>07</td><td>20.9</td><td>560020-0730</td><td>07</td></tr><tr><td>18.9</td><td>560020-0620</td><td>06</td><td>18.9</td><td>560020-0630</td><td>06</td></tr><tr><td rowspan="3">28.4</td><td rowspan="3">37.4</td><td rowspan="3">33.4</td><td rowspan="3">32</td><td rowspan="3">14.2</td><td>16.9</td><td>560020-0520</td><td>05</td><td>16.9</td><td>560020-0530</td><td>05</td></tr><tr><td>14.9</td><td>560020-0420</td><td>04</td><td>14.9</td><td>560020-0430</td><td>04</td></tr><tr><td>12.9</td><td>560020-0320</td><td>03</td><td>12.9</td><td>560020-0330</td><td>03</td></tr><tr><td></td><td>/</td><td>29.4</td><td>25.4</td><td>24</td><td>11.5</td><td>11.2</td><td>560020-0220</td><td>02</td><td></td><td>/</td><td>29.4</td><td>25.4</td><td>24</td><td>11.5</td><td>11.2</td><td>560020-0230</td><td>02</td></tr><tr><td>PLATING COLOR</td><td>F</td><td>E</td><td>D</td><td>C</td><td>(B)</td><td>(A)</td><td>エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.</td><td>CIRCUITS</td><td>PLATING COLOR</td><td>F</td><td>E</td><td>D</td><td>C</td><td>(B)</td><td>(A)</td><td>エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.</td><td>CIRCUITS</td></tr></table>																																Sn NATURAL	52.4	61.4	57.4	56	26.2	36.9	560020-1520	15	Au NATURAL	52.4	61.4	57.4	56	26.2	36.9	560020-1530	15	34.9	560020-1420	14	34.9	560020-1430	14	32.9	560020-1320	13	32.9	560020-1330	13	40.4	49.4	45.4	44	20.2	30.9	560020-1220	12	30.9	560020-1230	12	28.9	560020-1120	11	28.9	560020-1130	11	26.9	560020-1020	10	26.9	560020-1030	10	24.9	560020-0920	09	24.9	560020-0930	09	22.9	560020-0820	08	22.9	560020-0830	08	20.9	560020-0720	07	20.9	560020-0730	07	18.9	560020-0620	06	18.9	560020-0630	06	28.4	37.4	33.4	32	14.2	16.9	560020-0520	05	16.9	560020-0530	05	14.9	560020-0420	04	14.9	560020-0430	04	12.9	560020-0320	03	12.9	560020-0330	03		/	29.4	25.4	24	11.5	11.2	560020-0220	02		/	29.4	25.4	24	11.5	11.2	560020-0230	02	PLATING COLOR	F	E	D	C	(B)	(A)	エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.	CIRCUITS	PLATING COLOR	F	E	D	C	(B)	(A)	エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.	CIRCUITS	F																																																																																																																																																																								
Sn NATURAL	52.4	61.4	57.4	56	26.2	36.9	560020-1520	15	Au NATURAL	52.4	61.4	57.4	56	26.2	36.9	560020-1530	15																																																																																																																																																																																																																																																																																																																																
						34.9	560020-1420	14							34.9	560020-1430	14																																																																																																																																																																																																																																																																																																																																
						32.9	560020-1320	13							32.9	560020-1330	13																																																																																																																																																																																																																																																																																																																																
	40.4	49.4	45.4	44	20.2	30.9	560020-1220	12		30.9	560020-1230	12																																																																																																																																																																																																																																																																																																																																					
						28.9	560020-1120	11		28.9	560020-1130	11																																																																																																																																																																																																																																																																																																																																					
						26.9	560020-1020	10		26.9	560020-1030	10																																																																																																																																																																																																																																																																																																																																					
						24.9	560020-0920	09		24.9	560020-0930	09																																																																																																																																																																																																																																																																																																																																					
						22.9	560020-0820	08		22.9	560020-0830	08																																																																																																																																																																																																																																																																																																																																					
						20.9	560020-0720	07		20.9	560020-0730	07																																																																																																																																																																																																																																																																																																																																					
						18.9	560020-0620	06		18.9	560020-0630	06																																																																																																																																																																																																																																																																																																																																					
	28.4	37.4	33.4	32	14.2	16.9	560020-0520	05		16.9	560020-0530	05																																																																																																																																																																																																																																																																																																																																					
						14.9	560020-0420	04		14.9	560020-0430	04																																																																																																																																																																																																																																																																																																																																					
						12.9	560020-0320	03		12.9	560020-0330	03																																																																																																																																																																																																																																																																																																																																					
		/	29.4	25.4	24	11.5	11.2	560020-0220		02		/	29.4	25.4	24	11.5	11.2	560020-0230	02																																																																																																																																																																																																																																																																																																																														
	PLATING COLOR	F	E	D	C	(B)	(A)	エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.		CIRCUITS	PLATING COLOR	F	E	D	C	(B)	(A)	エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.	CIRCUITS																																																																																																																																																																																																																																																																																																																														
	E																																	E																																																																																																																																																																																																																																																																																																															
D																																	D																																																																																																																																																																																																																																																																																																																
C	<table><tr><td rowspan="16">Sn BLACK</td><td rowspan="3">52.4</td><td rowspan="3">61.4</td><td rowspan="3">57.4</td><td rowspan="3">56</td><td rowspan="3">26.2</td><td>36.9</td><td>560020-1521</td><td>15</td><td rowspan="16">Sn RED</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>15</td><td rowspan="16">Sn BLUE</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>15</td></tr><tr><td>34.9</td><td>560020-1421</td><td>14</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>14</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>14</td></tr><tr><td>32.9</td><td>560020-1321</td><td>13</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>13</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>13</td></tr><tr><td rowspan="7">40.4</td><td rowspan="7">49.4</td><td rowspan="7">45.4</td><td rowspan="7">44</td><td rowspan="7">20.2</td><td>30.9</td><td>560020-1221</td><td>12</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>12</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>12</td></tr><tr><td>28.9</td><td>560020-1121</td><td>11</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>11</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>11</td></tr><tr><td>26.9</td><td>560020-1021</td><td>10</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>10</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>10</td></tr><tr><td>24.9</td><td>560020-0921</td><td>09</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>09</td><td>/</td><td>/</td><td>/</td><td>/</td><td>/</td><td>09</td><td>/</td><td>/</td><td>/</td><td>09</td></tr><tr><td>22.9</td><td>560020-0821</td><td>08</td><td>/</td><td>/</td><td>/</td><td>/</td><td>22.9</td><td>560020-0822</td><td>08</td><td>/</td><td>/</td><td>/</td><td>/</td><td>22.9</td><td>560020-0823</td><td>08</td></tr><tr><td>20.9</td><td>560020-0721</td><td>07</td><td>/</td><td>/</td><td>/</td><td>/</td><td>18.9</td><td>560020-0622</td><td>06</td><td>/</td><td>/</td><td>/</td><td>/</td><td>18.9</td><td>560020-0623</td><td>06</td></tr><tr><td>18.9</td><td>560020-0621</td><td>06</td><td>/</td><td>/</td><td>/</td><td>/</td><td>16.9</td><td>560020-0521</td><td>05</td><td>/</td><td>/</td><td>/</td><td>/</td><td>14.9</td><td>560020-0423</td><td>04</td></tr><tr><td rowspan="3">28.4</td><td rowspan="3">37.4</td><td rowspan="3">33.4</td><td rowspan="3">32</td><td rowspan="3">14.2</td><td>16.9</td><td>560020-0521</td><td>05</td><td>/</td><td>/</td><td>/</td><td>/</td><td>14.9</td><td>560020-0422</td><td>04</td><td>/</td><td>/</td><td>/</td><td>/</td><td>12.9</td><td>560020-0323</td><td>03</td></tr><tr><td>14.9</td><td>560020-0421</td><td>04</td><td>/</td><td>/</td><td>/</td><td>/</td><td>12.9</td><td>560020-0322</td><td>03</td><td>/</td><td>/</td><td>/</td><td>/</td><td>11.2</td><td>560020-0223</td><td>02</td></tr><tr><td>12.9</td><td>560020-0321</td><td>03</td><td>/</td><td>/</td><td>/</td><td>/</td><td>11.2</td><td>560020-0222</td><td>02</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>/</td><td>29.4</td><td>25.4</td><td>24</td><td>11.5</td><td>11.2</td><td>560020-0221</td><td>02</td><td></td><td>/</td><td>29.4</td><td>25.4</td><td>24</td><td>11.5</td><td>11.2</td><td>560020-0222</td><td>02</td><td></td><td>/</td><td>29.4</td><td>25.4</td><td>24</td><td>11.5</td><td>11.2</td><td>560020-0223</td><td>02</td></tr><tr><td>PLATING COLOR</td><td>F</td><td>E</td><td>D</td><td>C</td><td>(B)</td><td>(A)</td><td>エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.</td><td>CIRCUITS</td><td>PLATING COLOR</td><td>F</td><td>E</td><td>D</td><td>C</td><td>(B)</td><td>(A)</td><td>エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.</td><td>CIRCUITS</td><td>PLATING COLOR</td><td>F</td><td>E</td><td>D</td><td>C</td><td>(B)</td><td>(A)</td><td>エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.</td><td>CIRCUITS</td></tr></table>																																Sn BLACK	52.4	61.4	57.4	56	26.2	36.9	560020-1521	15	Sn RED	/	/	/	/	/	/	/	15	Sn BLUE	/	/	/	/	/	/	/	15	34.9	560020-1421	14	/	/	/	/	/	/	/	/	14	/	/	/	/	/	/	14	32.9	560020-1321	13	/	/	/	/	/	/	/	/	13	/	/	/	/	/	/	13	40.4	49.4	45.4	44	20.2	30.9	560020-1221	12	/	/	/	/	/	/	/	12	/	/	/	/	/	/	/	12	28.9	560020-1121	11	/	/	/	/	/	/	/	11	/	/	/	/	/	/	11	26.9	560020-1021	10	/	/	/	/	/	/	10	/	/	/	/	/	/	10	24.9	560020-0921	09	/	/	/	/	/	09	/	/	/	/	/	09	/	/	/	09	22.9	560020-0821	08	/	/	/	/	22.9	560020-0822	08	/	/	/	/	22.9	560020-0823	08	20.9	560020-0721	07	/	/	/	/	18.9	560020-0622	06	/	/	/	/	18.9	560020-0623	06	18.9	560020-0621	06	/	/	/	/	16.9	560020-0521	05	/	/	/	/	14.9	560020-0423	04	28.4	37.4	33.4	32	14.2	16.9	560020-0521	05	/	/	/	/	14.9	560020-0422	04	/	/	/	/	12.9	560020-0323	03	14.9	560020-0421	04	/	/	/	/	12.9	560020-0322	03	/	/	/	/	11.2	560020-0223	02	12.9	560020-0321	03	/	/	/	/	11.2	560020-0222	02									/	29.4	25.4	24	11.5	11.2	560020-0221	02		/	29.4	25.4	24	11.5	11.2	560020-0222	02		/	29.4	25.4	24	11.5	11.2	560020-0223	02	PLATING COLOR	F	E	D	C	(B)	(A)	エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.	CIRCUITS	PLATING COLOR	F	E	D	C	(B)	(A)	エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.	CIRCUITS	PLATING COLOR	F	E	D	C	(B)	(A)	エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.	CIRCUITS	C
Sn BLACK	52.4	61.4	57.4	56	26.2	36.9	560020-1521	15	Sn RED	/	/	/	/	/	/	/	15	Sn BLUE	/	/	/	/	/	/	/	15																																																																																																																																																																																																																																																																																																																							
						34.9	560020-1421	14		/	/	/	/	/	/	/	/		14	/	/	/	/	/	/	14																																																																																																																																																																																																																																																																																																																							
						32.9	560020-1321	13		/	/	/	/	/	/	/	/		13	/	/	/	/	/	/	13																																																																																																																																																																																																																																																																																																																							
	40.4	49.4	45.4	44	20.2	30.9	560020-1221	12		/	/	/	/	/	/	/	12		/	/	/	/	/	/	/	12																																																																																																																																																																																																																																																																																																																							
						28.9	560020-1121	11		/	/	/	/	/	/	/	11		/	/	/	/	/	/	11																																																																																																																																																																																																																																																																																																																								
						26.9	560020-1021	10		/	/	/	/	/	/	10	/		/	/	/	/	/	10																																																																																																																																																																																																																																																																																																																									
						24.9	560020-0921	09		/	/	/	/	/	09	/	/		/	/	/	09	/	/	/	09																																																																																																																																																																																																																																																																																																																							
						22.9	560020-0821	08		/	/	/	/	22.9	560020-0822	08	/		/	/	/	22.9	560020-0823	08																																																																																																																																																																																																																																																																																																																									
						20.9	560020-0721	07		/	/	/	/	18.9	560020-0622	06	/		/	/	/	18.9	560020-0623	06																																																																																																																																																																																																																																																																																																																									
						18.9	560020-0621	06		/	/	/	/	16.9	560020-0521	05	/		/	/	/	14.9	560020-0423	04																																																																																																																																																																																																																																																																																																																									
	28.4	37.4	33.4	32	14.2	16.9	560020-0521	05		/	/	/	/	14.9	560020-0422	04	/		/	/	/	12.9	560020-0323	03																																																																																																																																																																																																																																																																																																																									
						14.9	560020-0421	04		/	/	/	/	12.9	560020-0322	03	/		/	/	/	11.2	560020-0223	02																																																																																																																																																																																																																																																																																																																									
						12.9	560020-0321	03		/	/	/	/	11.2	560020-0222	02																																																																																																																																																																																																																																																																																																																																	
		/	29.4	25.4	24	11.5	11.2	560020-0221		02		/	29.4	25.4	24	11.5	11.2		560020-0222	02		/	29.4	25.4	24	11.5	11.2	560020-0223	02																																																																																																																																																																																																																																																																																																																				
	PLATING COLOR	F	E	D	C	(B)	(A)	エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.		CIRCUITS	PLATING COLOR	F	E	D	C	(B)	(A)		エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.	CIRCUITS	PLATING COLOR	F	E	D	C	(B)	(A)	エンボス梱包品 製品番号 EMBOSSSED PACKAGE MATERIAL NO.	CIRCUITS																																																																																																																																																																																																																																																																																																																				
	B																																	B																																																																																																																																																																																																																																																																																																															
A	<table><tr><td rowspan="10">FUNCTIONAL SYMBOLS</td><td colspan="16">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td colspan="6" rowspan="2">CURRENT REV DESC:</td><td colspan="4" rowspan="2">molex</td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td></tr><tr><td> = 0</td><td>mm</td><td colspan="2">NTS</td><td colspan="16" rowspan="5"> PHASE: CO NO: DRWN: Hideo Yoneyama 2023-10-23 CHK'D: Hiromichi Komatsu 2023-10-23 APPR: Takashi Iida 2023-10-24 INITIAL REVISION: DRWN: YTAMAKI 2014/05/23 APPR: MAYAMAMOTO 2014/06/30 THIRD ANGLE PROJECTION DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS </td><td colspan="4" rowspan="2">2.0MM PITCH W/B ST. WAFER ASSY EMBOSSSED TAPE PACKAGE</td></tr><tr><td colspan="4">PRODUCT SALES DRAWING</td></tr><tr><td colspan="2">1 PLACES</td><td>±</td><td>±</td><td colspan="2">DOCUMENT NUMBER</td><td colspan="2">DOC TYPE</td><td colspan="2">DOC PART</td><td colspan="2">REVISION</td></tr><tr><td colspan="2">0 PLACES</td><td>±</td><td>±</td><td colspan="2">SD-560020-003</td><td colspan="2">PSD</td><td colspan="2">001</td><td colspan="2">F2</td></tr><tr><td colspan="2">ANGULAR TOL</td><td colspan="2">± 0.5°</td><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">SEE CHART</td><td colspan="2">GENERAL MARKET</td><td colspan="2">2 OF 2</td></tr></table>																																FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																CURRENT REV DESC:						molex				DIMENSION UNITS		SCALE		= 0	mm	NTS		PHASE: CO NO: DRWN: Hideo Yoneyama 2023-10-23 CHK'D: Hiromichi Komatsu 2023-10-23 APPR: Takashi Iida 2023-10-24 INITIAL REVISION: DRWN: YTAMAKI 2014/05/23 APPR: MAYAMAMOTO 2014/06/30 THIRD ANGLE PROJECTION DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																2.0MM PITCH W/B ST. WAFER ASSY EMBOSSSED TAPE PACKAGE				PRODUCT SALES DRAWING				1 PLACES		±	±	DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION		0 PLACES		±	±	SD-560020-003		PSD		001		F2		ANGULAR TOL		± 0.5°		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER						SEE CHART		GENERAL MARKET		2 OF 2		A																																																																																																																																																																																																									
FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																CURRENT REV DESC:						molex																																																																																																																																																																																																																																																																																																																										
	DIMENSION UNITS		SCALE																																																																																																																																																																																																																																																																																																																																														
	= 0	mm	NTS		PHASE: CO NO: DRWN: Hideo Yoneyama 2023-10-23 CHK'D: Hiromichi Komatsu 2023-10-23 APPR: Takashi Iida 2023-10-24 INITIAL REVISION: DRWN: YTAMAKI 2014/05/23 APPR: MAYAMAMOTO 2014/06/30 THIRD ANGLE PROJECTION DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																2.0MM PITCH W/B ST. WAFER ASSY EMBOSSSED TAPE PACKAGE																																																																																																																																																																																																																																																																																																																												
	PRODUCT SALES DRAWING																																																																																																																																																																																																																																																																																																																																																
	1 PLACES		±	±																	DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION																																																																																																																																																																																																																																																																																																																						
	0 PLACES		±	±																	SD-560020-003		PSD		001		F2																																																																																																																																																																																																																																																																																																																						
	ANGULAR TOL		± 0.5°																		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																																																																																																																																																																																																																																																								
					SEE CHART		GENERAL MARKET		2 OF 2																																																																																																																																																																																																																																																																																																																																								
	FORMAT: MekIng-a-TClb-prod-A3 REVISION: A DATE: 2021/08/11																																																																																																																																																																																																																																																																																																																																																
		9	8				7				6				5				4				3				2				1																																																																																																																																																																																																																																																																																																																		