Eaton 7.2TDLSJ25

Fuse-link, medium voltage, 25 A, AC 7.2 kV, 2", 51 x 292 mm, back-up, DIN, with striker

PRODUCT NAME	Eaton Bussmann series medium voltage DIN fuse
CATALOG NUMBER	7.2TDLSJ25
UPC	051712173094
PRODUCT LENGTH/DEPTH	292 mm
PRODUCT HEIGHT	51 mm
PRODUCT WIDTH	51 mm
PRODUCT WEIGHT	1630 g
COMPLIANCES	DIN 43625 VDE 0670-4 IEC 60282-1

Powering Business Worldwide

□□□□

USED WITH	270303 Fuse clip A3354710 Fuse clip
AMPERAGE RATING	25 A
FUSE INDICATOR	With Striker
FUSE SIZE	51 x 292 mm
BREAKING CAPACITY	40 kA
INSTALLATION TECHNIQUE	Air
PERFORMANCE CAT ACCORDING TO IEC 60282-1	Back-up
PRODUCT APPLICATION	Primary side transformer protection
RATED FREQUENCY - MAX	50 Hz
RATED FREQUENCY - MIN	50 Hz
RELEASE CHARACTERISTIC	Other
STANDARD	DIN
UTILIZATION CATEGORY	Other
VOLTAGE TYPE	AC
WITH STRIKER	Yes
CLASS	Class back-up
BARRELS	1
PRE ARC (I2T)	5.7 x 100
RESISTANCE	32.6 Ohms
WATT LOSSES	28 W
FUSE DIAMETER	51 mm
INTERRUPT RATING	40 kAIC
CONSTRUCTION SIZE	51 x 292 mm
MOUNTING METHOD	Clip-in
PACKAGING TYPE	Standard
VOLTAGE RATING	7.2 kV
TYPE	Fuse
APPLICATION	• transformer protection • indoor or outdoor use
FUSE TYPE	TDLSJ

□□

□□□□:	
□□□□:	
□□□:	
□□:	

□□□□ Eaton House
30 Pembroke Road
Dublin 4, □□□
Eaton.com

© 2026 □□ □□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□