



RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
SINGLE SIDED APPLICATIONS



PCB LAYOUT
FOR SINGLE SIDE MOUNTING



DETAIL H
RECOMMENDED CONNECTOR LAYOUT
4X INDIVIDUALLY

TITLE SFP+ 1X2 CAGE,W/LIGHT
PIPE ,W/HEAT SINK

PART NO. SFP+ 2198232 1X2YDS-CND

APPROVE	CHECK	DRAW
QG.CHEN	SL.WANG	X.YAN

CND-tek 深圳磁联达电子有限公司
Shen zhen cnd-tek Electronics Co., Ltd

GENERAL TOLERANCE		UNIT:MM	SIZE: A4					
<table border="1"> <tr> <td>.X±0.20</td> <td>.X±1°</td> </tr> <tr> <td>.XX±0.15</td> <td>.XX±5°</td> </tr> <tr> <td>.XXX±0.10</td> <td></td> </tr> </table>		.X±0.20	.X±1°	.XX±0.15	.XX±5°	.XXX±0.10		SCALE: 1:1
.X±0.20	.X±1°							
.XX±0.15	.XX±5°							
.XXX±0.10								

RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
BELLY TO BELLY APPLICATIONS

THIS AREA DENOTES
COMPONENT KEEP-OUT
(TRACES ALLOWED)


CROSS-HATCHED AREA DENOTES
COMPONENT AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

DETAIL H

PCB LAYOUT
FOR BELLY TO BELLY SIDE MOUNTING

DETAIL H
RECOMMENDED CONNECTOR LAYOUT
4X INDIVIDUALLY

TITLE			CND-tek 深圳磁联达电子有限公司 Shen zhen cnd-tek Electronics Co., Ltd		
PART NO. SFP+ 2198232 1X2YDS-CND			GENERAL TOLERANCE		UNIT:MM
APPROVE	CHECK	DRAW	.X±0.20	.X±1°	SCALE: 1:1
QG.CHEN	SL.WANG	X.YAN	.XX±0.15	.XX±5°	
			.XX±0.10		SHEET:3/4
					REV:A



RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
BELLY TO BELLY APPLICATIONS

THIS AREA DENOTES
COMPONENT KEEP-OUT
(TRACES ALLOWED)

CROSS-HATCHED AREA DENOTES
COMPONENT AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

DETAIL H

PCB LAYOUT
FOR BELLY TO BELLY SIDE MOUNTING

DETAIL H
RECOMMENDED CONNECTOR LAYOUT
4X INDIVIDUALLY

TITLE			CND-tek 深圳磁联达电子有限公司 Shen zhen cnd-tek Electronics Co., Ltd		
PART NO. SFP+ 2198232 1X2YDS-CND			GENERAL TOLERANCE		UNIT:MM
APPROVE	CHECK	DRAW	.X±0.20	.X±1°	SCALE: 1:1
QG.CHEN	SL.WANG	X.YAN	.XX±0.15	.XX±5°	
			.XX±0.10		SHEET:3/4
					REV:A

RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
BELLY TO BELLY APPLICATIONS

THIS AREA DENOTES
COMPONENT KEEP-OUT
(TRACES ALLOWED)


CROSS-HATCHED AREA DENOTES
COMPONENT AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

DETAIL H


PCB LAYOUT
FOR BELLY TO BELLY SIDE MOUNTING

DETAIL H
RECOMMENDED CONNECTOR LAYOUT
4X INDIVIDUALLY



TITLE			CND-tek 深圳磁联达电子有限公司 Shen zhen cnd-tek Electronics Co., Ltd		
PART NO. SFP+ 2198232 1X2YDS-CND			GENERAL TOLERANCE		UNIT:MM
APPROVE	CHECK	DRAW	.X±0.20	.X±1°	SCALE: 1:1
QG.CHEN	SL.WANG	X.YAN	.XX±0.15	.XX±5°	
			.XX±0.10		SHEET:3/4
					REV:A



RECOMMENDED BEZEL DESIGN
SINGLE SIDED APPLICATIONS



RECOMMENDED BEZEL DESIGN
BELLY TO BELLY APPLICATIONS



TITLE SFP+ 1X2 CAGE,W/LIGHT PIPE ,W/HEAT SINK		
PART NO. SFP+ 2198232 1X2YDS-CND		
APPROVE	CHECK	DRAW
QG.CHEN	SL.WANG	X.YAN

CND-tek 深圳磁联达电子有限公司
Shen zhen cnd-tek Electronics Co., Ltd

GENERAL TOLERANCE		SCALE: 1:1	UNIT:MM	SIZE: A4
.X±0.20	.X±1°			
.XX±0.15	.XX±5°	SHEET:4/4	REV:A	
.XXX±0.10				