Eaton 24FFMSJ31.5

Fuse-link, medium voltage, 31.5 A, AC 24 kV, 3", 76 x 442 mm, full-range, DIN, with striker

PRODUCT NAME	Eaton Bussmann series medium voltage DIN fuse
CATALOG NUMBER	24FFMSJ31.5
UPC	051712844352
PRODUCT LENGTH/DEPTH	442 mm
PRODUCT HEIGHT	76 mm
PRODUCT WIDTH	76.2 mm
PRODUCT WEIGHT	4500 g
COMPLIANCES	DIN 43625 VDE 0670-4 IEC 60282-1

Powering Business Worldwide

□□□□

USED WITH	270303 Fuse clip A3354730 Fuse clip
AMPERAGE RATING	31.5 A
FUSE INDICATOR	With Striker
FUSE SIZE	76 x 442 mm
BREAKING CAPACITY	35.5 kA
INSTALLATION TECHNIQUE	Air
PERFORMANCE CAT ACCORDING TO IEC 60282-1	Full-range
PRODUCT APPLICATION	Primary side transformer protection
RATED FREQUENCY - MAX	50 Hz
RATED FREQUENCY - MIN	50 Hz
RELEASE CHARACTERISTIC	Other
STANDARD	DIN
UTILIZATION CATEGORY	Other
VOLTAGE TYPE	AC
WITH STRIKER	Yes
CLASS	Class full-range
PRE ARC (I2T)	4.7 x 1000
RESISTANCE	48.8 Ohms
WATT LOSSES	70 W
FUSE DIAMETER	76 mm
INTERRUPT RATING	35.5 kAIC
CONSTRUCTION SIZE	76 x 442 mm
MOUNTING METHOD	Clip-in
PACKAGING TYPE	Standard
VOLTAGE RATING	24 kV
TYPE	Fuse
APPLICATION	• transformer protection • indoor or outdoor use
FUSE TYPE	FFMSJ

□□

□□□□:	
□□□□:	
□□□:	
□□:	

□□□□ Eaton House
30 Pembroke Road
Dublin 4, □□□
Eaton.com

© 2026 □□ □□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□