

	1		2			3		4		5		6		7		8									
	linear dimension (Tolerances Standard GB/T 14486-2008)								—	$\square$	$\perp$	版本 Version	描述 Description	设计 Design	批准 Approved	日期 Date									
A	variable range	to 6	over 6 to 10	over 10 to 30	over 30 to 60	over 60 to 100	over 100 to 160	over 160 to 10	over 10 to 100	over 100 to		A	A	新发行	熊武敌	楼特高	2024.03.10								
	tolerance	$\pm 0.20$	$\pm 0.30$	$\pm 0.50$	$\pm 0.70$	$\pm 1.00$	$\pm 1.30$	$\pm 1.60$	0.10	0.30	0.60														
B																									
C																									
D																									
E	<p>编码原则 (Product Number Code):</p> <p>产品型号 (Series No.) <u>WJ126R-5.0-XXP-1Y-00A</u> 客户需求 (Customer Request)</p> <p>间距 (Pitch) <u>5.0</u> 极数 (No. of Poles) <u>1</u> 塑体颜色 (Housing Color) <u>00A</u></p> <table border="1"> <tr> <td>1: 单倍间距 (Single Pitch)</td> <td>6: 红色 (Red)</td> </tr> <tr> <td>2: 双倍间距 (Double Pitch)</td> <td>7: 透明 (Transparent)</td> </tr> <tr> <td></td> <td>8: 黄色 (Yellow)</td> </tr> <tr> <td></td> <td>9: 白色 (White)</td> </tr> </table>																	1: 单倍间距 (Single Pitch)	6: 红色 (Red)	2: 双倍间距 (Double Pitch)	7: 透明 (Transparent)		8: 黄色 (Yellow)		9: 白色 (White)
1: 单倍间距 (Single Pitch)	6: 红色 (Red)																								
2: 双倍间距 (Double Pitch)	7: 透明 (Transparent)																								
	8: 黄色 (Yellow)																								
	9: 白色 (White)																								
F	<p>PCB LAYOUT</p>																								
G	<p>第三视角 (THIRD ANGLE PROJECTION)</p>												<p>螺钉式PCB接线端子 PCB SCREW TERMINAL BLOCK</p>												
H	<p>图纸类型 (TYPE) CUSTOMER DRAWING</p>			<p>单位 (UNITS) mm</p>		<p>版本 (VERSION) A</p>		<p>型号 (NAME) WJ126R-5.0-XXP-1Y-00A</p>		<p>尺寸 (SIZE) A4</p> <p>比例 (SCALE) 1:1</p> <p>图页 (SHEET) 1/1</p>															
	<p>宁波康奈克斯电气有限公司 Ningbo Kangnex Electric Co., Ltd</p>																								