Eaton 3.6WDLSJ63

Motor fuse-link, medium voltage, 63 A, AC 3.6 kV, DIN 43625 2", 51 x 292 mm, back-up, DIN, with striker

□□□□	
PRODUCT NAME	Eaton Bussmann series medium voltage motor fuse
CATALOG NUMBER	3.6WDLSJ63
UPC	051712797580
PRODUCT LENGTH/DEPTH	292 mm
PRODUCT HEIGHT	292 mm
PRODUCT WIDTH	51 mm
PRODUCT WEIGHT	4568 g
COMPLIANCES	VDE 0670-4 DIN 43625
CERTIFICATIONS	IEC60282-1

Powering Business Worldwide

□□□□

USED WITH	A3354710 Nickel-plated copper fuse clip
AMPERAGE RATING	63 A
FUSE SIZE	51 x 292 mm
BREAKING CAPACITY	50 A
INSTALLATION TECHNIQUE	Air
PERFORMANCE CAT ACCORDING TO IEC 60282-1	Back-up
PRODUCT APPLICATION	Motor protection
RATED FREQUENCY - MAX	50 Hz
RATED FREQUENCY - MIN	50 Hz
RELEASE CHARACTERISTIC	Other
STANDARD	DIN
UTILIZATION CATEGORY	Other
VOLTAGE TYPE	AC
WITH STRIKER	Yes
CLASS	Class back-up
BARRELS	1
FUSE SHAPE	Cylindrical
WATT LOSSES	32 W
RESISTANCE	5.9 ohms
FUSE DIAMETER	51 mm
INTERRUPT RATING	50 kAIC
CONSTRUCTION SIZE	51 x 292 mm
VOLTAGE RATING	3.6 kV
TYPE	fuse
APPLICATION	Motor protection
FUSE TYPE	WDLSJ

□□

□□□□:	
□□□□:	
□□□:	
□□:	

□□□□ Eaton House
30 Pembroke Road
Dublin 4, □□□
Eaton.com

© 2026 □□ □□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□